

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

1. (original) A coated article comprising a substrate and a wear-resistant coating, wherein the wear-resistant coating comprises a metal, ceramic or vitreous matrix material and superabrasive particles having a protective metallic coating, wherein the coated superabrasive particles are co-deposited within the matrix material.
2. (original) The coated article of claim 1, wherein the matrix material is selected from the group consisting of nickel, cobalt, iron, chromium, tungsten, molybdenum, carbides, borides, nitrides, oxides, intermetallics, and mixtures thereof.
3. (original) The coated article of claim 1 wherein the superabrasive particles are made of cubic boron nitride, diamond or a mixture thereof.
4. (original) The coated article of claim 1, wherein the protective metallic coating is a metal selected from the group consisting of aluminum, silicon, scandium, titanium, vanadium, chromium, yttrium, zirconium, niobium, molybdenum, hafnium, tantalum, tungsten, rhenium, the rare earth metals, and a mixture thereof.
5. (original) The coated article of claim 1, wherein the substrate comprises a material selected from the group consisting of metals, metal alloys, organic resins, metal-based materials, polymeric materials and mixtures thereof.
6. (original) The coated article of claim 1, wherein the substrate comprises an organic resin containing a reinforcing component.

7. (original) The coated article of claim 1, wherein the wear-resistant coating is applied onto said substrate in the form of a powder, slurry, paste, tape, or foil.

8. (currently amended) The coated article of claim 1, wherein the wear-resistant coating composition is applied to the substrate by a process selected from the group consisting of thermal sprays, heat treatments, PVD techniques, CVD techniques, anodizing, electroplating, and HVOF, ~~and brazing~~.

9. (original) The coated article of claim 1, wherein the coated superabrasive particles are less than about 50  $\mu\text{m}$  in size.

10. (cancelled)

11. (original) The coated article of claim 1, wherein the wear-resistant coating further comprises finely divided insoluble or sparingly soluble particulate matter.

12. (original) The coated article of claim 1, wherein the wear-resistant coating has a thickness of up to about 1000  $\mu\text{m}$ .

13. (original) The coated article of claim 1, wherein the protective coating chemically bonds to the superabrasive particles.

14. (original) The coated article of claim 1, wherein the protective coating chemically bonds to the metal, ceramic or vitreous matrix material.

15. (original) The coated article of claim 1, wherein the coated superabrasive particles are distributed uniformly within the wear-resistant coating.

16. (cancelled)

17. (cancelled)

18. (cancelled)

19. (cancelled)

20. (cancelled)

21. (cancelled)

22. (cancelled)

23. (cancelled)

24. (cancelled)

25. (cancelled)

26. (cancelled)

27. (cancelled)

28. (cancelled)